


04-20-05

AF/1615 JAW



Docket No. PHUS-7

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re **BROADENING REISSUE** patent application of:

FAOUR, J. et al.

Serial No.: 10/004,772 ✓

Filed: 12/03/2001

Group Art Unit: 1615

Examiner: Lakshmi S. Channavajjala

**Based Upon:**

Patent No.: 6,004,582

Issued: December 21, 1999

Application Serial No.: 09/086,871

Filed: May 29, 1998

For: Multi-layered osmotic device

**MAIL STOP REISSUE**

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

"EXPRESS MAIL" MAILING LABEL NUMBER

**E0 908863 465 US**

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to: Commissioner for Patents, P.O. BOX 1450, Alexandria, V22313-1450 on April 19, 2005.

RICK MATOS

(TYPED OR PRINTED NAME OF PERSON MAILING PAPER OR FEE)

(SIGNATURE OF PERSON MAILING PAPER OR FEE)

Sir:

**SUPPLEMENTAL RESPONSE**

Further to the response mailed March 11, 2005 and to the telephone interview conducted April 18, 2005, Applicants hereby submit the following amendments and remarks. Applicants request that this response be fully considered and entered into the record. Please amend the application as indicated in the following pages.

Applicants hereby submit an "Amendments to the Claims" and a Fifth Supplemental Declaration.

**Status of Claims and Support for Claim Changes**

Claims 1-36 and 38-55 remain pending. Claims 1, 24-27, 36, 50, and 53 have been amended. No new claims have been added. All other claims remain the same. Reconsideration of the present claims is requested.

Claim 1 has been amended to indicate a previously submitted amendment (mailed 12/03/01). The term "drug" has been replaced with the terms "first active agent" and "second active agent". This already considered amendment was erroneously not indicated in subsequent amendments.

Claims 1, 24-27, 36, 50, and 53 have been amended to correct an antecedent basis issue. The term "wall" has been replaced with the term "semipermeable membrane".